OVE AUSTRIAN ELECTROTECHNICAL ASSOCIATION
Eschenbachgasse 9, 1010 Wien, Austria
ZVR: 327279890 | DVR: 1055887

OVE - Testing & Certification
Kahlenberger Str. 2A, 1190 Wien, Austria
Phone: +43 1 370 58 06
www.ove.at

ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark

Certificate No.: **75244-006-02**

Valid from: 2014 04 24
until: 2016 05 17

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Company: **LAUMAYER S.A.**
Cra 50C No. 10Sur - 61
Medellin
Colombia

Product: **Socket outlets for industrial purposes**

Basis for this given right is the conformity of the products with the requirements of the technical standards listed in this certificate as stated in the file(s) Ref.-No(s). **TGM-VA EE 35179**.

This certificate establishes the conformity of the tested specimen and of all products manufactured strictly identical to the submitted one.

Österreichischer Verband für Elektrotechnik
Head of Testing & Certification

Digitally signed by W. Martin
Email=w.martin@ove.at

Vienna, 2014 04 24

Dipl.-Ing. W. Martin

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under www.en.bmwfw.gv.at/accreditation

Manufacturer:

ID >43<

Factory location(s):

ID >43<

Tested and certified according to:

ÖVE/ÖNORM EN 60309-1:2013-03-01
ÖVE/ÖNORM EN 60309-2:2013-03-01

This certificate is the basis for the EC Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity with the listed standards as defined by the **EC Low-Voltage Directive 2006/95/EC**.

Product: Socket outlets for industrial purposes

Type designation: *Rating:*	***Trademark:***
TSP63/1335 2P+PE IP 67 or IP 66/IP 67 for wall mounting see typelist	VCP Electric
TSP63/1345 3P+PE IP 67 or IP 66/IP 67 for wall mounting see typelist	VCP Electric
TSP63/1355 3P+N+PE IP 67 or IP 66/IP 67 for wall mounting see typelist	VCP Electric
TIN63/4335 2P+PE IP 67 or IP 66/IP 67 sloping design see typelist	VCP Electric

TIN63/4345 3P+PE IP 67 or IP 66/IP 67 sloping design see typelist	VCP Electric
TIN63/4355 3P+N+PE IP 67 or IP 66/IP 67 sloping design see typelist	VCP Electric

TYPELIST

Type	Rated current A	Earthing contact pos. h	Rated operating voltage V	Frequency Hz
TSP63/1335 TIN63/4335	63	1	Other ratings	Other ratings
	63	2	>50	>300-500
	63	3	>50 - 250	DC
	63	4	100 - 130	50 and 60
	63	6	200 - 250	50 and 60
	63	7	480 - 500	50 and 60
	63	8	>250	DC
	63	9	380 – 415	50 and 60
	63	10	>50	>100-300
	63	12	Supply from an isolating transformer	50 and 60
TSP63/1345 TIN63/4345	63	1	Other ratings	Other ratings
	63	2	>50	>300-500
	63	3	380 440	50 60
	63	4	100 - 130	50 and 60
	63	5	600 - 690	50 and 60
	63	6	380 - 415	50 and 60
	63	7	480 - 500	50 and 60
	63	9	200 - 250	50 and 60
	63	10	>50	>100-300
	63	11	440 - 460	60
	63	12	Supply from an isolating transformer	50 and 60
TSP63/1355 TIN63/4355	63	1	Other ratings	Other ratings
	63	2	>50	>300 -500
	63	3	220/380 250/440	50 60
	63	4	57/100 - 75/130	50 and 60
	63	5	347/600 – 400/690	50 and 60
	63	6	200/346 - 240/415	50 and 60
	63	7	277/480 - 288/500	50 and 60
	63	9	120/208 - 144/250	50 and 60
	63	10	>50	>100-300
	63	11	250/400 - 265/460	60
	63	12	Supply from an isolating transformer	50 and 60